

Notice of Allowability	Application No.	Applicant(s)	
	10/813,479	LLOYD ET AL.	
	Examiner	Art Unit	
	Carmelo Oliva	2831	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☐ This communication is responsive to _____.
2. ☒ The allowed claim(s) is/are 1-12.
3. ☒ The drawings filed on 30 March 2004 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).**
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

- | | |
|---|--|
| 1. <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 5. <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 2. <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 6. <input type="checkbox"/> Interview Summary (PTO-413),
Paper No./Mail Date _____. |
| 3. <input type="checkbox"/> Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date _____ | 7. <input type="checkbox"/> Examiner's Amendment/Comment |
| 4. <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit
of Biological Material | 8. <input checked="" type="checkbox"/> Examiner's Statement of Reasons for Allowance |
| | 9. <input type="checkbox"/> Other _____. |

NOTICE OF ALLOWABILITY

Reasons for Allowance

1. Claims 1-12 are allowed.
2. The following is an examiner's statement of reasons for allowance:

Claims 1-10 are allowable because the prior art alone or in combination does not teach or fairly suggest a shielding cage comprising a bottom member, a conductive cover, exterior sidewalls having an exterior grounding leg, wherein at least one interior wall includes at least one interior grounding leg depending downwardly therefrom through a corresponding opening disposed in the bottom member for connection to a grounding circuit on a circuit board, taken in combination with the other claimed features.

Claims 11 and 12 are allowable because the prior art alone or in combination does not teach or fairly suggest a shielding cage comprising a base plate with first grounding pins and a conductive cover which cooperatively form a hollow receptacle, wherein at least one interior wall includes second grounding pins extending along a lower edge and through corresponding openings disposed in the base plate, and further including engagement tabs received in the base plate and cover member, taken in combination with the other claimed features.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably

Art Unit: 2831


accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Closing

3. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Moral et al., Fontana, Anderson et al., and Baltz et al. show prior art shielding cages.

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Carmelo Oliva whose telephone number is (571)272-1982. The examiner can normally be reached flexible hours on Monday through Friday with every other Wednesday off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Dean Reichard, can be reached at (571)272-2800 ext. 31. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.


DEAN A. REICHARD
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2800